

Mad honey

Mad honey is [honey](#) that contains [grayanotoxins](#). The dark, reddish honey is produced from the [nectar](#) and [pollen](#) of genus *[Rhododendron](#)* and has intoxicating effects.



Mad honey

Mad honey is produced principally in [Nepal](#) and [Turkey](#), where it is used as a [traditional medicine](#) and [recreational drug](#). In the [Hindu Kush Himalayan](#) range, it is produced by [Himalayan giant honey bees](#) (*[Apis laboriosa](#)*). [Honey hunting](#) in Nepal has been traditionally performed by the [Gurung people](#). The honey can also be found rarely in the eastern [United States](#).

Historical accounts of mad honey are found in [Ancient Greek](#) texts. The Greek military leader [Xenophon](#) wrote in his *[Anabasis](#)* about the effects of mad honey on soldiers in 401 BCE. In 65 BCE, during the [Third Mithridatic War](#), King [Mithridates](#) used mad honey as a [biological weapon](#) against Roman soldiers under General [Pompey](#). During the 18th century, mad honey was imported to [Europe](#) where it was added to [alcoholic beverages](#).

Historical accounts



An [amphora](#) from [Vulci](#) depicting Laios, Keleos, Kerberos, and Aigolios being stung by bees in the [Dictaeon Cave](#)



Rhododendron species are a source of the [grayanotoxins](#) that give mad honey its properties.

Historical accounts of mad honey stretch back over two [millennia](#). Early accounts by Ancient Greek [historians](#) noted the properties of the honey and its floral origins. There are a few accounts of its use as a biological weapon, usually as experienced by foraging soldiers.^[1]

The 6th-century BCE *Homeric Hymn to [Hermes](#)*, part of the *[Homeric Hymns](#)*, may indirectly allude to the use of mad honey. The text refers to the *melissai* (bee-oracles) of Delphi's [Mount Parnassus](#) who could prophesy only after ingesting *meli chloron* (green honey), and may have been referring to [Pythia](#), the Oracle of Delphi.^[2]

The Greek military leader and historian [Xenophon](#) wrote an account of a 401 BCE incident involving mad honey in his work *[Anabasis](#)* about the expedition of the [Ten Thousand](#). In his account, he describes how Greek soldiers traveling near [Trabzon](#) (now part of Turkey) near the [Black Sea](#), ate mad honey and then became disoriented, suffering vomiting and diarrhea, and no longer able to stand. The soldiers recovered the following day.^[3]

The number of [bee-hives](#) was extraordinary, and all the soldiers that ate of the [combs](#), lost their senses, vomited, and were affected with purging, and none of them were able to stand upright; such as had eaten only a little were like men greatly intoxicated, and such as had eaten much were like mad-men, and some like persons at the point of death.^[4]

They lay upon the ground, in consequence, in great numbers, as if there had been a defeat; and there was general dejection. The next day no one of them was found dead; and they recovered their senses about the same hour that they had lost them on the preceding day; and on the third and fourth days they got up as if after having taken [physic](#).^[4]

Roman and Greek authorities believed mad honey could cure [insanity](#).^[1] [Aristotle](#) noted that "at Trapezus honey from boxwood has a heavy scent, and they say that healthy men go mad, but that [epileptics](#) are cured by it immediately".^[5] Roman naturalist [Pliny the Elder](#) referred to mad

honey as *meli mænomenon* and was among the first to recognize that the toxicity was linked to [oleander](#), [azalea](#), and *Rhododendron* species.^[1]

Historians also noted that mad honey's potency or intoxicating effects varied seasonally or cyclically. Pliny noted that the honey was most hazardous after wet springs, while Greek physician [Pedanius Dioscorides](#) noted that the honey was only dangerous in certain seasons.^[1]

Mad honey was used as an early [biological weapon](#) in the [Black Sea region](#). In 65 BCE, during the [Third Mithridatic War](#),^{[6][3]} King [Mithridates](#) staged a strategic withdrawal from Roman soldiers under General [Pompey](#). Possibly under the counsel of Greek botanist [Kateuas](#), Mithridates had the withdrawing soldiers place combs of mad honey on their path. The Roman soldiers who ate the honey succumbed to mad honey intoxication and were slain.^[7] The Greek geographer [Strabo](#) described the incident as having wiped out three [maniples](#) of Romans, which could mean anywhere from 480 to 1,800 soldiers.^{[1][6]}

Other incidents of honey poisonings may have been caused by mad honey. In 946, allies of Queen [Olga of Kiev](#) sent several tons of fermented honey to her Russian foes. 5,000 Russians were massacred as they lay in a stupor.^{[1][8]} Later in 1489, in the same region, [Tatars](#) consumed casks of [mead](#) made using mad honey that had been left in an abandoned camp. 10,000 of the Tatars were slaughtered by Russians.^[1]

During the 18th century, around 25 tons of mad honey were exported from the Black Sea Region to Europe every year.^[1] It was known then in France as *miel fou* (crazy honey) and was added to beer and other alcoholic drinks to give them extra potency.^{[9][10][1]} American botanist [Benjamin Smith Barton](#) observed that [beekeepers](#) in [Pennsylvania](#) became intoxicated by mad honey. They added the honey to liquor and sold the concoction in [New Jersey](#) as an elixir they named 'metheglin' (mead). Barton noted that the inebriation began pleasantly, but could suddenly turn "ferocious".^[1] Former [Confederate](#) surgeon J. Grammer described in 1875 in *Gleanings in Bee Culture* that there were several incidents with soldiers from the South involving mad honey intoxication.^[1]

The chemical compound andromedotoxin ([grayanotoxin I](#)) was isolated from Trabzon honey by German scientist P. C. Plugge in 1891.^[1] The 1929 edition of the *Encyclopædia Britannica* dismissed the notion of poison honey as described in Greek and Roman texts, concluding that "in all likelihood the symptoms described by these old writers were due to overeating" or that the honey had been eaten on empty stomachs.^[1]

Prevalence and harvesting



Mad honey in Nepal is typically produced by *Apis laboriosa* bees

Rhododendron species and other plants in the family *Ericaceae* produce *grayanotoxins*. Honey made from the *nectar* contains *pollen* from these plants as well as the grayanotoxins.^{[11][10]} Mad honey is darker and redder than other honeys, and has a slightly bitter taste.^[4] Due to its reddish color, it is sometimes called *rose of the forest honey*.^[12] Mad honey is produced in specific world regions, notably the *Black Sea Region* of Turkey and *Nepal*.^[13]

Small-scale producers of mad honey typically harvest honey from a small area or single *hive*, producing a honey containing a significant concentration of grayanotoxins. In contrast, large-scale honey production often mixes honey gathered from different locations, diluting the concentration of any contaminated honey.^[10] A *Caucasus* beekeeper noted in a 1929 article in *Bee World* that the potency of the honey could vary across a single honeycomb and that the most dangerous mad honey was produced at high elevations during dry spells.^[1]

In Turkey

In Turkey, mad honey is known as *deli bal* and is used as a recreational drug and traditional medicine. It is most commonly made from the nectar of *Rhododendron luteum* and *Rhododendron ponticum* in the *Caucasus* region.^[14] Beekeepers in the *Kaçkar Mountains* have produced mad honey for centuries.^[9]

In the Hindu Kush Himalayan region



A honeycomb colony of *Apis laboriosa* on a vertical rockface in the Himalayas

Mad honey is produced in the foothills of the Himalayas by [Himalayan giant honey bees](#) (*Apis laboriosa*).^[9] In southern Asia, *Apis laboriosa* nests are found mostly in the [Hindu Kush Himalayan region](#).^[15] The bees produce mad honey in the spring when plants from the family [Ericaceae](#), such as rhododendrons are in bloom.^[15]

Apis laboriosa nests consist of single, open combs with large bases reaching 1.5 m (4 ft 11 in). The hives are built on tree limbs or steep, southeast or southwest-facing rocky cliffsides, at elevations of 1,200–4,000 m (3,900–13,100 ft), often situated underneath overhanging ledges where they are protected from the elements.^{[16][15]}

Honey gathering

In central Nepal and northern India, the [Gurung people](#) have traditionally [gathered the honey](#) for centuries, scaling cliffsides to reach the hives. Residents collect the honey twice a year, once in late spring and once in the late fall.^[17] The honey hunters use rope ladders with wooden rungs to access the nests and set fires underneath to smoke out the bees.^[15]

Apis laboriosa populations in Nepal have experienced dramatic declines due to [overharvesting](#), hydroelectric dam and road construction, and the loss of water sources.^[16] Population decline is also attributed to [deforestation](#) and [landslides](#).^[15] In Nepal, there has been an annual 70% decline in honeybee populations in Himalayan cliffs.^[18] A specialist with the [International Centre for Integrated Mountain Development](#) reported in 2022 that there had been a decrease both in the number of cliffs that host bees and in the number of colonies each cliff supports. Recommendations for sustainable honey harvesting include leaving half of the newly formed combs undisturbed and only harvesting portions of the combs.^[16]

In other regions


United States

Mad honey is rarely produced in the United States. According to [Texas A&M](#) professor Vaughn Bryant, an expert on honey, mad honey is produced in the [Appalachian Mountains](#) in the Eastern U.S. when a late cold snap kills most flowers but not rhododendrons. Honeys produced from [mountain laurel](#) (*Kalmia latifolia*) and [sheep laurel](#) (*Kalmia angustifolia*) also contain grayanotoxins and are potentially deadly if large quantities are eaten.^[19]

Europe

In Europe, honey containing grayanotoxins is produced from [Rhododendron ferrugineum](#), which occurs in the [Alps](#) and [Pyrenees](#). However, no grayanane intoxication cases have been reported for honeys from the [European Union](#).^[20]

Physiological effects



The chemical structure of grayanotoxin I

Consumption of mad honey can cause a poisonous reaction called grayanotoxin poisoning, mad honey disease, honey intoxication, or rhododendron poisoning.^{[11][21]} The honey is the most common cause of grayanotoxin poisoning.^[10] Bees are not affected by grayanotoxins.^[19]

In humans and some other animals, grayanotoxins act on the central nervous system, binding to [sodium ion channels](#) and preventing them from closing.^[5] This results in low blood pressure ([hypotension](#)) and reduced heart rates ([bradycardia](#)). Corresponding effects include [lightheadedness](#), blurred vision, dizziness, and respiratory difficulty. In some cases, blood pressure may be reduced to potentially dangerous levels, causing nausea, fainting, seizures, [arrhythmia](#), [atrioventricular blocks](#), muscle paralysis, and unconsciousness.^{[9][5][1]}

The degree of mad honey intoxication depends on the quantity consumed as well as the concentration of grayanotoxins. It may act as a hypnotic, with milder symptoms including tingling sensations, numbness, dizziness, swooning, and giddiness. With stronger doses, the effects may include [delirium](#), [vertigo](#), nausea, psychedelic optical effects such as [tunnel vision](#) and whirling lights, hallucinations, and impaired speech where syllables and words are spoken out of

sequence. The recovery time ranges from hours to days, but most symptoms typically subside after 12 hours.^[1]

A 2015 systematic review of 1199 cases of mad honey intoxication found no reported deaths.^[5] Treatments for mad honey poisoning include [atropine](#),^[5] [adrenaline](#), and saline infusions.^[9]

Usage

Mad honey is most frequently produced and consumed in regions of [Turkey](#) and [Nepal](#) as a [traditional medicine](#) or [recreational drug](#).^{[13][22]} It is used as a traditional medicine to treat sore throat, [arthritis](#), [diabetes](#), and [hypertension](#).^[4] In the Turkish Black Sea Region it is used to treat indigestion, abdominal pain, [gastritis](#), [peptic ulcers](#), and the flu.^[5]

For centuries, in the Caucasus, small amounts of Pontic azalea honey have been added to alcoholic drinks to amplify the intoxicating effect.^[1] In Turkey, a spoonful of mad honey is traditionally added to milk as a tonic.^[1] Mad honey was [banned in South Korea](#) in 2005.^[23]

Mad honey is also thought to help with [erectile dysfunction](#)^[4] and increase sexual performance.^[5] Most cases of mad honey poisoning are experienced by middle-aged men.^[24]

See also

- [Bees and toxic chemicals](#)
- [A Haunting in Venice](#)

References

- Mayor, Adrienne (1995). "Mad Honey!" (<https://www.jstor.org/stable/41771162>) . *Archaeology*. **48** (6): 32–40. ISSN 0003-8113 (<https://search.worldcat.org/issn/0003-8113>) . JSTOR 41771162 (<https://www.jstor.org/stable/41771162>) . Archived (<https://web.archive.org/web/20240407072628/https://www.jstor.org/stable/41771162>) from the original on April 7, 2024. Retrieved April 7, 2024.
- Ott, Jonathan (1998). "The Delphic Bee: Bees and Toxic Honey as Pointers to Psychoactive and Other Medicinal Plants" (<https://www.jstor.org/stable/4256092>) . *Economic Botany*. **52** (3): 260–266. Bibcode:1998EcBot..52..260O (<https://ui.adsabs.harvard.edu/abs/1998EcBot..52..260O>) . doi:10.1007/BF02862143 (<https://doi.org/10.1007/BF02862143>) . ISSN 0013-0001 (<https://search.worldcat.org/issn/0013-0001>) . JSTOR 4256092 (<https://www.jstor.org/stable/4256092>) . Archived (<https://web.archive.org/web/20240407072620/https://www.jstor.org/stable/4256092>) from the original on April 7, 2024. Retrieved April 7, 2024.

3. Gunduz, Abdülkadir; Ayaz, Faik Ahmet (2013). "Mad Honey: The Reality" (<https://books.google.com/books?id=GXIFAQAAQBAJ&dq=%22mad%20honey%22&pg=PA360>) . *Honey in Traditional and Modern Medicine*. CRC Press. pp. 360–376. ISBN 978-1-4398-4016-0.
4. Johnson, Stephen (December 26, 2022). "'Mad honey': The rare hallucinogen from the mountains of Nepal" (<https://bigthink.com/health/mad-honey/>) . *Big Think*. Archived (<https://web.archive.org/web/20230524163718/https://bigthink.com/health/mad-honey/>) from the original on May 24, 2023. Retrieved April 7, 2024.
5. Silici, Sibel; Atayoglu, A. Timucin (2015). "Mad honey intoxication: A systematic review on the 1199 cases" (<https://www.academia.edu/download/103913748/j.fct.2015.10.01820230630-1-4l2ygu.pdf>) (PDF). *Food and Chemical Toxicology*. **86**: 282–290. doi:10.1016/j.fct.2015.10.018 (<https://doi.org/10.1016%2Fj.fct.2015.10.018>) . PMID 26547022 (<https://pubmed.ncbi.nlm.nih.gov/26547022>) . Archived (<https://web.archive.org/web/20240514071352/https://www.academia.edu/download/103913748/j.fct.2015.10.01820230630-1-4l2ygu.pdf>) (PDF) from the original on May 14, 2024. Retrieved April 7, 2024.
6. Turner, Matthew D (April 29, 2023). "Mad Honey and the Poisoner King: A Case of Mass Grayanotoxin Poisoning in the Roman Military" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10226383>) . *Cureus*. **15** (4): e38289. doi:10.7759/cureus.38289 (<https://doi.org/10.7759%2Fcureus.38289>) . PMC 10226383 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10226383>) . PMID 37255894 (<https://pubmed.ncbi.nlm.nih.gov/37255894>) .
7. Bryce, Emma (September 4, 2014). "The Strange History of 'Mad Honey' " (<https://modernfarmer.com/2014/09/strange-history-hallucinogenic-mad-honey/>) . *Modern Farmer*. Archived (<https://web.archive.org/web/20240403072524/https://modernfarmer.com/2014/09/strange-history-hallucinogenic-mad-honey/>) from the original on April 3, 2024. Retrieved April 7, 2024.
8. "Ridiculous History: Ancient Armies Waged War With Hallucinogenic Honey" (<https://history.howstuffworks.com/historical-events/history-hallucinogenic-mad-honey-warfare.htm>) . *HowStuffWorks*. February 27, 2017.
9. McKernan, Bethan (January 16, 2020). "Creating a buzz: Turkish beekeepers risk life and limb to make mad honey" (<https://www.theguardian.com/world/2020/jan/16/creating-a-buzz-turkish-beekeepers-risk-life-and-limb-to-make-mad-honey>) . *The Guardian*.
10. Assimon SA (2012). "Grayanotoxins. In: Bad Bug Book: Handbook of Foodborne Pathogenic Microorganisms and Natural Toxins" (<https://www.fda.gov/downloads/Food/FoodborneIllnessContaminants/UCM297627.pdf>) (PDF). US Food and Drug Administration. Archived (<https://web.archive.org/web/20130418013247/https://www.fda.gov/downloads/Food/FoodborneIllnessContaminants/UCM297627.pdf>) (PDF) from the original on April 18, 2013. Retrieved May 3, 2018.

11. Jansen SA, Kleerekooper I, Hofman ZL, Kappen IF, Stary-Weinzinger A, van der Heyden MA (September 2012). "Grayanotoxin poisoning: 'mad honey disease' and beyond" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3404272>) . *Cardiovascular Toxicology*. **12** (3): 208–15. doi:10.1007/s12012-012-9162-2 (<https://doi.org/10.1007%2Fs12012-012-9162-2>) . PMC 3404272 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3404272>) . PMID 22528814 (<https://pubmed.ncbi.nlm.nih.gov/22528814>) .
12. Neumeier, Elaine (2016). "Sweet Madness: One Honey of a Mysterious Tale" (https://books.google.com/books?id=Ts_kDAAAQBAJ&dq=%22deli%20bal%22&pg=PA77) . *The Witches' Almanac* (36): 76–77. ISBN 978-1-881098-40-9. Archived (https://web.archive.org/web/20240514070211/https://books.google.com/books?id=Ts_kDAAAQBAJ&dq=%22deli%20bal%22&pg=PA77) from the original on May 14, 2024. Retrieved April 7, 2024.
13. Gunduz A, Şimşek P, Ayaz FA (March 2023). "Worldwide distribution and clinical characteristics of mad honey poisoning cases" (<https://cejph.szu.cz/pdfs/cjp/2023/01/11.pdf>) (PDF). *Central European Journal of Public Health*. **31** (1): 69–73. doi:10.21101/cejph.a7501 (<https://doi.org/10.21101%2Fcejph.a7501>) . PMID 37086424 (<https://pubmed.ncbi.nlm.nih.gov/37086424>) . Archived (<https://web.archive.org/web/20240403020239/http://cejph.szu.cz/pdfs/cjp/2023/01/11.pdf>) (PDF) from the original on April 3, 2024. Retrieved April 7, 2024.
14. Waters J (October 1, 2014). "The buzz about 'mad honey', hot honey and mead" (<https://www.theguardian.com/lifeandstyle/2014/oct/01/mad-honey-hot-honey-mead-buzz>) . *The Guardian*.
15. Gregory, Michelle; Jack, Cameron (August 1, 2021). "Himalayan Giant Honey Bee, Cliff Honey Bee (suggested common names) *Apis laboriosa* Smith (Insecta: Hymenoptera: Apidae): EENY-777/IN1348, 8/2021" (<https://edis.ifas.ufl.edu/publication/IN1348>) . *EDIS*. **2022** (1). doi:10.32473/edis-IN1348-2021 (<https://doi.org/10.32473%2Fedis-IN1348-2021>) . Archived (<https://web.archive.org/web/20240407072620/https://edis.ifas.ufl.edu/publication/IN1348>) from the original on April 7, 2024. Retrieved April 7, 2024.
16. Baral, Nabin (July 22, 2022). "Nepal's honey hunters cling to traditions as bee numbers fall" (<https://www.thethirdpole.net/en/culture/nepal-honey-hunters-cling-to-traditions-as-bee-numbers-fall/>) . *The Third Pole*. Archived (<https://web.archive.org/web/20240407072635/https://www.thethirdpole.net/en/culture/nepal-honey-hunters-cling-to-traditions-as-bee-numbers-fall/>) from the original on April 7, 2024. Retrieved April 7, 2024.
17. Caprara, David (September 14, 2016). "Hunting for Hallucinogenic Honey in Nepal" (<https://www.vice.com/en/article/wdbz55/hunting-for-hallucinogenic-honey-in-nepal-v23n6>) . *Vice*. Archived (<https://web.archive.org/web/20240407072619/https://www.vice.com/en/article/wdbz55/hunting-for-hallucinogenic-honey-in-nepal-v23n6>) from the original on April 7, 2024. Retrieved April 7, 2024.

18. Thapa, Ratna; Aryal, Sunil; Jung, Chuleui (2018). "Beekeeping and Honey Hunting in Nepal: Current Status and Future Perspectives" (<https://www.researchgate.net/publication/325491378>) . *Asian Beekeeping in the 21st Century*. pp. 111–127. doi:10.1007/978-981-10-8222-1_5 (https://doi.org/10.1007%2F978-981-10-8222-1_5) . ISBN 978-981-10-8221-4.
19. Henton, Lesley (October 15, 2014). "Expert Gives The Buzz On Mad Honey" (<https://today.tamu.edu/2014/10/15/expert-gives-the-buzz-on-mad-honey/>) . *Texas A&M Today*. Archived (<https://web.archive.org/web/20240407072620/https://today.tamu.edu/2014/10/15/expert-gives-the-buzz-on-mad-honey/>) from the original on April 7, 2024. Retrieved April 7, 2024.
20. Schrenk, Dieter; Bignami, Margherita; Bodin, Laurent; Chipman, James Kevin; del Mazo, Jesús; Grasl-Kraupp, Bettina; Hogstrand, Christer; Hoogenboom, Laurentius (Ron); Leblanc, Jean-Charles; Nebbia, Carlo Stefano; Nielsen, Elsa; Ntzani, Evangelia; Petersen, Annette; Sand, Salomon; Schwerdtle, Tanja; Vleminckx, Christiane; Dusemund, Birgit; Hart, Andrew; Mulder, Patrick; Viviani, Barbara; Anastassiadou, Maria; Cascio, Claudia; Riolo, Francesca; Wallace, Heather (March 2023). "Risks for human health related to the presence of grayanotoxins in certain honey" (<https://www.efsa.europa.eu/en/efsajournal/pub/7866>) . *EFSA Journal*. **21** (3): e07866. doi:10.2903/j.efsa.2023.7866 (<https://doi.org/10.2903%2Fj.efsa.2023.7866>) . PMC 9978999 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9978999>) . PMID 36875862 (<https://pubmed.ncbi.nlm.nih.gov/36875862>) . Archived (<https://web.archive.org/web/20240514074955/https://www.efsa.europa.eu/en/efsajournal/pub/7866>) from the original on May 14, 2024. Retrieved April 18, 2024.
21. Demircan A, Keleş A, Bildik F, Aygencel G, Doğan NO, Gómez HF (December 2009). "Mad honey sex: therapeutic misadventures from an ancient biological weapon". *Annals of Emergency Medicine*. **54** (6): 824–9. doi:10.1016/j.annemergmed.2009.06.010 (<https://doi.org/10.1016%2Fj.annemergmed.2009.06.010>) . PMID 19683834 (<https://pubmed.ncbi.nlm.nih.gov/19683834>) .
22. Sahin H (April 18, 2015). "Grayanotoxin-III Detection and Antioxidant Activity of Mad Honey" (<https://doi.org/10.1080%2F10942912.2014.999866>) . *International Journal of Food Properties*. **18** (12): 2665–2674. doi:10.1080/10942912.2014.999866 (<https://doi.org/10.1080%2F10942912.2014.999866>) . S2CID 97859238 (<https://api.semanticscholar.org/CorpusID:97859238>) .
23. Ullah, Sana; Khan, Shahid Ullah; Saleh, Tawfik A.; Fahad, Shah (2018). "Mad honey: uses, intoxicating/poisoning effects, diagnosis, and treatment" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9080652>) . *RSC Advances*. **8** (33): 18635–18646. Bibcode:2018RSCAd...818635U (<https://ui.adsabs.harvard.edu/abs/2018RSCAd...818635U>) . doi:10.1039/C8RA01924J (<https://doi.org/10.1039%2FC8RA01924J>) . PMC 9080652 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9080652>) . PMID 35541133 (<https://pubmed.ncbi.nlm.nih.gov/35541133>) .

24. Norton, Amy (December 17, 2009). " "Mad" honey sends virility-seeking men to the ER" (<https://www.reuters.com/article/idUSTRE5BG49N/>) . *Reuters*.